



monoFab™ SRM-20

Desktop Milling Machine



SHAPE YOUR IDEAS

The next evolution in compact milling machines.

The SRM-20 is Roland's latest generation desktop milling machine for the office, studio and educational environment. Since pioneering desktop milling in 1986, Roland has continued to perfect accuracy and efficiency in a compact format. The SRM-20 incorporates innovative features, including a new spindle, collet, circuit boards and control software. The result is a leap forward in milling precision, speed and ease of use.



The SRM-20 can mill a variety of non-proprietary materials typically used for prototyping, including chemical wood, acrylic and modeling wax. Optional collets are also available to extend the mill's capability with a wide range of end mill shapes and sizes, ideal for creating beautiful finishes and intricate details.




Create functional prototypes from a variety of materials.

Simple operation for optimum results.

Designed for ease of use, the SRM-20 supports Roland's unique "VPanel," an on-screen operation panel for the computer. By using the speed-controlled 4-way cursor movement, the origin point can be set quickly and accurately. Spindle RPM and milling speed can be altered during milling, allowing full control over the results and milling time.

3 types of software included for ease of use, even for beginners.


All software can be used individually as needed.



SRP Player features an Interactive Wizard, toolpaths preview and advanced editing features.



iMODELA™ Creator is software for processing 2D data such as text and graphics.



ClickMILL™ is a simple milling solution for surfacing, drilling holes and pocketing without using 3D CAD (Computer Aided Design) software.

PRODUCT SPECIFICATIONS

MODEL	SRM-20
Cuttible Material	Modeling wax, chemical wood, foam, acrylic, poly acetate, ABS, PC board
X, Y, and Z Operation Strokes	203.2 (X) x 152.4 (Y) x 60.5 (Z) mm, 8 (X) x 6 (Y) x 2.38 (Z) inches
Workpiece table size	232.2 (X) x 156.6 (Y) mm, 9.14 (X) x 6.17 (Y) inches
Distance From Collet Tip to Table	Maximum, 5.15 in (130.75mm)
Loadable Workpiece Weight	4.4 lbs (2kg)
X-, Y-, and Z-Axis Drive System	Stepping motor
Operating Speed	6 – 1800mm/min (0.24 – 70.87inch/min)
Software Resolution	0.01 mm/step (RML-1), 0.001mm/step (NC code) , 0.00039 inches/step (RML-1), 0.000039 inches/step (NC code)
Mechanical Resolution	0.000998594 mm/step, 0.0000393 inches/step
Spindle Motor	DC motor Type 380
Spindle Rotation Speed	Adjustable 3,000 – 7,000 rpm
Cutting Tool Chuck	Collet method
Interface	USB
Control Command Sets	RML-1, NC code
Power Requirements	Machine: DC24V, 2.5A, Dedicated AC adapter: AC 100-240V +/- 10%, 50/60Hz
Power Consumption	Approx. 55W
Operating Noise	During operation: 65 dB (A) or less (when not cutting), during standby: 45 dB (A) or less
External Dimensions	451.0 (W) x 426.6 (D) x 426.2 (H) mm, 17.76 (W) x 16.80 (D) x 16.78 (H) inches
Weight	19.6 kg, 43.2 lbs
Installation Environment	Temperature of 5 to 40°C (41 to 104 °F), 35 to 80% relative humidity (no condensation)
Included Items	USB cable, AC adapter, Power cord, Cutting tool, Collet, Set screw, Spanners (7,10mm / 0.28, 0.39 inches), Hexagonal wrench (size 2.3 mm / 0.059, 0.12 inches), Positioning pins, Double-sided tape, Start-up page guidance card, [Read first (Booklet)]
Warranty	*1 year

* Registration within 60 days is required. Specifications subject to change.

Get social with us.



FOR COMPLETE PRODUCT SPECIFICATIONS, FEATURES, CUSTOMER TESTIMONIALS AND CASE STUDIES, VISIT WWW.ROLANDDGA.COM/SRM
 ROLAND DGA CORP. | 15363 BARRANCA PARKWAY | IRVINE, CALIFORNIA 92618-2216 | 800.542.2307 | 949.727.2100 | CERTIFIED ISO 9001:2008
 RDGA-SRM-02 October 2015

Designed for clean and secure use in your office or classroom

The SRM-20 includes an interlocked full cover and a dust-collection tray to keep your environment clean and clear of waste material. For increased safety, opening the cover automatically stops the machine.

Roland reliability

With over 10,000 SRP milling machines installed worldwide, Roland is a leading supplier of rapid prototyping equipment. The SRM-20, like all our precision devices is backed by Roland Care,™ our unmatched warranty and support program.

SYSTEM REQUIREMENTS

MODEL	SRM-20
Operating Systems (OS)	Windows 7/8/8.1 (32-bit/64-bit edition)*
CPU	Intel® Core 2 Duo or more (Core i5 or more recommended)
Memory (RAM)	1GB (2GB or more recommended)
Video Card and Monitor	A resolution of 1,280x1,024 or more recommended
Free Hard-Disk Space Required As A Working Space	100 megabytes or more recommended
Other Requirements	Internet connection and web browser, Internet Explorer version 10 or more recommended

*Roland OnSupport is a 32-bit application and therefore runs in WOW64 (Windows-On-Windows 64) when running on 64-bit versions of Windows operating systems.

"Active Speaker" pictured on front created by Hiroshi Yasutomi

Imagine. **Roland**®